

# Competition in Connections Code of Practice Reporting 2022-23 Appendices

(April 2022 – March 2023)

SP Manweb  
and  
SP Distribution

September 2023

# Contents

## Appendix 1 – Website Pages

pages 3 to 28

- i)* Getting Connected
- ii)* Connections Customer Process
- iii)* Other Connection Providers (you have a choice)
- iv)* Alternative Providers Who Can Do the Work?
- v)* Competition in Connections Code of Practice
- vi)* Self-Determination of Point of Connection
- vii)* Standard Design Matrix
- viii)* Transformer Loadings
- ix)* Documents
- x)* Self-Design Approval
- xi)* Requesting a Meter Point Administration Number
- xii)* Authorisation and Accreditation
- xiii)* Land Rights and Consents
- xiv)* Connection Agreements
- xv)* Construction and Adoption
- xvi)* Escalation Process


## Appendix 2 – UMV and Transformer Loading Database screenshots pages 29 to 32

- i)* UMV/GND/PowerOn Portal screen
- ii)* UMV SPM data screen example
- iii)* UMV Street Level screen
- iv)* UMV Radial HV network
- v)* Transformer Loading Database portal screen
- vi)* Transformer Loading Database example screen

Appendix 1 – Website Pages

i) Getting Connected

[https://www.spenergynetworks.co.uk/pages/which\\_type\\_of\\_connection.aspx](https://www.spenergynetworks.co.uk/pages/which_type_of_connection.aspx)




English

Sustainability | ScottishPower | Iberdrola.com

ABOUT US | POWER CUTS | CUSTOMER SUPPORT | GETTING CONNECTED | CORPORATE GOVERNANCE | INVESTMENT & INNOVATION

Getting Connected Updates: We are making changes to the 'Getting Connected' webpages on our site. As we make these changes, our current resources and processes will remain in place.

SUPPORTING INFORMATION

### Significant Code Review

In an effort to accelerate towards Net Zero, Ofgem are changing the way you pay for connecting to our network. Ofgem's Access Significant Code Review (SCR) was published on the 3rd May 2022 and the changes outlined will come into force from the 1st April 2023.

[Read more...](#)

### Connecting Generation

If you're thinking of installing a new generator (such as solar panels or wind turbines) it will need to be connected to the electricity network through your existing supply or through a new electricity connection.

[Read more...](#)

### Other Connection Providers: You Have a Choice

Competition in the connections market means you have a choice when selecting who provides some elements of your connection process.

[Read more...](#)

### Land Rights for Connections Customers

We may need to run cable under or over land that isn't yours. Before doing so we will need to get consent to do so...


[Read more...](#)

## GETTING CONNECTED

Find out more about our connection services by selecting from the options below.


visit our **Customer Connections Portal**

### New Connection




FIND OUT MORE / APPLY NOW

### Moving a Meter Point



FIND OUT MORE / APPLY NOW


### Disconnection



FIND OUT MORE / APPLY NOW

### Additional Load


Increase capacity at meter point, electric vehicles and heat pumps



FIND OUT MORE / APPLY NOW

### Diversion


Do you require us to move electricity cables or overhead power lines?



FIND OUT MORE / APPLY NOW


### Unmetered Connection

Do you require an unmetered connection to our network e.g. street lighting



FIND OUT MORE / APPLY NOW

We are here to support you. [Find out how to contact us.](#)



3

Internal Use



## Getting Connected

Home > Getting Connected > Getting Connected > New Connections

### Getting Connected

#### New Connections

Moving your Existing Connection Point & Meter

Disconnections

Additional Load

Diversion

Unmetered Connections

Interactive Guide

Transmission Connections

Customer Connections Portal

ADMD calculator - LCT Ready Housing Developments

Other Connection Providers (You Have a Choice)

Generation

Incentive on Connections Engagement (ICE)

Document Library

Contact Connections

## NEW CONNECTIONS

If you need a new electricity connection to our network, you'll find lots of useful information below.

Our design teams will work with you to create the most cost-effective design for your project, which will be tailored to your exact requirements.

### Apply for a New Connection



APPLY ONLINE NOW

GET AN ESTIMATE

You can also apply offline using our [PDF application form](#).

### First-Time Customer?

View the connection process from start to finish



FIND OUT MORE

### Cost Examples & Timelines

Typical costs and timescales



FIND OUT MORE

### Other Connection Providers

You have a choice



FIND OUT MORE

### VIDEO GUIDES & LEAFLETS



#### New Connections Video

If you have recently built a new property and need a connection to the electricity network, it's easier than you think. This video tells you how we can help.

[GO BACK TO CONNECTIONS MAIN PAGE](#)

## ii) Connections: Customer Process

Select [https://www.spenetworks.co.uk/pages/getting\\_connected.aspx](https://www.spenetworks.co.uk/pages/getting_connected.aspx) and press the blue button “Connections Videos and Leaflets” which will take you to [https://www.spenetworks.co.uk/pages/connections\\_videos\\_and\\_leaflets.aspx](https://www.spenetworks.co.uk/pages/connections_videos_and_leaflets.aspx)

**Getting Connected**

Home > Getting Connected > Involvement on Connections... > Connections Videos and...

**CONNECTIONS VIDEOS AND LEAFLETS**

Below you can find the latest editions of our helpful connections leaflets and videos.

**Connections Leaflets**

**Getting Connected**

Other Connection Providers (You Have a Choice)

Generation

Involvement on Connections Engagement (ICE)

Grid Option Options

Regulation

Connections Stakeholder Information

Additional Help for Customers

Connections Videos and Leaflets

Significant Code Review

Document Library

Contact Connections

**SUPPORTING INFORMATION**

**Significant Code Review**

In an effort to accelerate towards Net Zero, Ofgem are changing the way you pay for connecting to our network. Ofgem's Access Significant Code Review (SCR) was published on the 3rd May 2022 and the changes outlined will come into force from the 1st April 2023. [Read more...](#)

**Connecting Generation**

If you're thinking of installing a new generator (such as solar panels or wind turbines) it will need to be connected to the electricity network through your existing supply or through a new electricity connection. [Read more...](#)

**Other Connection Providers: You Have a Choice**

Competition in the connections market means you have a choice when selecting who provides some elements of your connection process. [Read more...](#)

**Land Rights for Connections Customers**

We may need to run cable under or over land that isn't yours. Before doing so we will need to get consent to do so. [Read more...](#)

**Getting connected to the electricity network**

**Connections - a handy guide**

**Getting your meter connected**

**Your connection offer explained**

**Disconnecting an electricity supply**

**Getting connected to the electricity network**

**Getting your commercial meter fixed**

**Connecting you with a choice**

**Connections offer explained**

**Getting your commercial meter fixed**






# Getting connected to the electricity network

Up to four domestic supplies  
A single small commercial property




[https://www.spenergynetworks.co.uk/pages/customer\\_process\\_new\\_connection.aspx](https://www.spenergynetworks.co.uk/pages/customer_process_new_connection.aspx) which will take you through an 8-step process, providing you with links to information and leaflets/documents; examples of the stages are shown below.

Stage 1/8: Make Your Enquiry



You make an enquiry about a new connection via **telephone**, **email** or **online form**.



Read our **Getting Connected to the Electricity Network** leaflet

Stage 2/8: Submit Your Application




You can apply online **here** or download **a form** and send it to us.




Read our **Connecting You With a Choice** leaflet


Not sure what **connection type** you require? We can **guide** you through the process.




Do you need to **move your electricity meter**? Find out how SP Energy Networks can help you.



Find out more about **SP Energy Networks Connections** with our selection of information **e-leaflets** and **videos**.



We are here to **support** you. Click here to find out how to **contact us**.




7



Internal Use




iii) Other Connection Providers (you have a choice)

[https://www.spenergynetworks.co.uk/pages/competition\\_in\\_connections.aspx](https://www.spenergynetworks.co.uk/pages/competition_in_connections.aspx)



English | ScottishPower | [Bardrola.com](#)  

[ABOUT US](#) | [POWER CUTS](#) | [CUSTOMER SUPPORT](#) | [GETTING CONNECTED](#) | [INVESTMENT & INNOVATION](#) | [CORPORATE GOVERNANCE](#)



## Getting Connected

[Home](#) > [Getting Connected](#) > [Other Connection Providers](#)

Getting Connected

Other Connection Providers (You Have a Choice)

Who Can Do the Work?

What Work Can be Done?

Who Regulates Our Connection Business?

Information for ICPs and IDNOs

How to Contact CIC

Generation

Incentive on Connections Engagement (ICE)

Document Library


Contact Connections

### OTHER CONNECTION PROVIDERS (YOU HAVE A CHOICE)

Competition in the connections market means you have a choice when selecting who provides some elements of your connection process.

Find out more about the choices available via the buttons below.


#### Who Can Do the Work?



For your safety, only suitably accredited connection companies can provide connections.


[FIND OUT MORE](#)


#### What Work Can Be Done?




Work undertaken to provide an electricity connection to our network falls into two categories.

[FIND OUT MORE](#)


 **RELATED LINKS**




Who Can do the Work



What Work Can be Done?



Guidance & Information



Code of Practice

[Independent Distribution Network Operator](#)


[Independent Connection Provider](#)

### Independent Distribution Network Operator

Independent Distribution Network Operators are accredited companies that can build new electricity networks. An IDNO may continue to own and operate these new networks independently, providing maintenance, repair and supply to their customers.

**Are you an Independent Distribution Network Operator?**

[Click here](#)




8




Internal Use








iv) Who can do the work?

[https://www.spenergynetworks.co.uk/pages/who\\_can\\_do\\_the\\_work.aspx](https://www.spenergynetworks.co.uk/pages/who_can_do_the_work.aspx)




English  ScottishPower | Iberdrola.com  


ABOUT US | POWER CUTS | CUSTOMER SUPPORT | GETTING CONNECTED | INVESTMENT & INNOVATION | CORPORATE GOVERNANCE





## Getting Connected


Home > Getting Connected > Other Connection Provid... > Who Can Do the Work?


Getting Connected 


Other Connection Providers (You Have a Choice) 


Who Can Do the Work? 


What Work Can be Done? 


Who Regulates Our Connection Business? 


Information for ICPs and IDNOs 

How to Contact CIC 

Generation 

Incentive on Connections Engagement (ICE) 

Document Library 


Contact Connections 

### WHO CAN DO THE WORK?

You can choose who carries out certain elements of the connection work. This is known as [contestable work](#) and can be completed by an Independent Connection Provider (ICP) or an Independent Distribution Network Operator (IDNO ).

#### Alternative Connection Providers



There are a number of Alternative Connection Providers active in the SP Distribution (SPD) and SP Manweb (SPM) areas.


- [Click here to view the list](#) 

---

For your safety, ICPs and IDNOs must possess the appropriate accreditations to carry out contestable works.

You'll find further information at the following links:


- [ICPs](#) 
- [IDNOs](#) 




A list of accredited ICP and IDNO companies can be found on the [Lloyds Register](#)  website.

If you are a Connections Provider and would like your company to be listed, please email [gettingconnectedupdate@spenergynetworks.co.uk](mailto:gettingconnectedupdate@spenergynetworks.co.uk)


v) Competition in Connections Code of Practice

[https://www.spenergynetworks.co.uk/pages/competitions\\_in\\_connections\\_code\\_of\\_practice.aspx](https://www.spenergynetworks.co.uk/pages/competitions_in_connections_code_of_practice.aspx)




English  ScottishPower | Iberdrola.com  


ABOUT US | POWER CUTS | CUSTOMER SUPPORT | GETTING CONNECTED | INVESTMENT & INNOVATION | CORPORATE GOVERNANCE



## Getting Connected

Home > Getting Connected > Other Connection Provid... > Information for ICPs and I... > Code of Practice


Getting Connected 

Other Connection Providers (You Have a Choice) 


Who Can Do the Work?


What Work Can be Done?

Who Regulates Our Connection Business?

Information for ICPs and IDNOs 

Extending the Scope of ICP Work

Guidance & Information 

Code of Practice 

Transformer Loadings

Self Determination of Point of Connection


Standard Design Matrix


Self Design Approval

### CODE OF PRACTICE



In June 2014 Ofgem opened their review of the market for new connections to the electricity distribution network. They subsequently published, in January 2015, their proposed solutions to the issues identified and the best way to implement them.

Distribution Networks Operators (DNOs) were tasked with developing a Code of Practice (CoP) in consultation with stakeholders and this was completed collectively with the Electricity Networks Association (ENA). The resultant Code of Practice was approved by Ofgem in July 2015, with an implementation date of October 2015.

The Competition in Connections Code of Practice can be found [here](#) .

The ENA have created an additional site specifically for the Code of Practice. For further details please go to [www.connectionscode.org.uk](http://www.connectionscode.org.uk) .

The Competition in Connections Code of Practice requires DNOs to publish an annual report to demonstrate their compliance with the code. Our Annual Report for the reporting period 2018-19 can be found [here](#):

- [Competition in Connections Code of Practice Report 2019-20](#) 
- [Competition in Connections Code of Practice Reporting 2019-20 Appendices](#) 

---

Other pages in this section:

- [Transformer Loadings](#)
- [Self Determination of Point of Connection](#)
- [Standard Design Matrix](#)
- [Self Design Approval](#)
- [Authorisation and Accreditation](#)
- [Workshop Presentations](#)

vi) Self-Determination of Point of Connection

[https://www.spenergynetworks.co.uk/pages/self\\_determination\\_of\\_point\\_of\\_connection.aspx](https://www.spenergynetworks.co.uk/pages/self_determination_of_point_of_connection.aspx)



## Getting Connected

Home > Getting Connected > Other Connection Provid... > Information for ICPs and E... > Code of Practice > Self Determination of Pos...

Getting Connected	▼
Other Connection Providers (You Have a Choice)	▼
Who Can Do the Work?	
What Work Can be Done?	
Who Regulates Our Connection Business?	
Information for ICPs and IDNOs	▼
Extending the Scope of ICP Work	
Guidance & Information	▼
Code of Practice	▼
Transformer Loadings	
Self Determination of Point of Connection	▶
Standard Design Matrix	
Self Design Approval	
Authorisation and Accreditation	
Workshop Presentations	
Documents	▼
How to Contact CIC	▼
Generation	▼
Incentive on Connections Engagement (ICE)	▼
Document Library	▼
Contact Connections	▼

### SELF DETERMINATION OF POINT OF CONNECTION

**Independent Connection Providers (ICPs) shall be able to self-determine the Point of Connection (POC) in the majority of circumstances, as outlined in the table below.**

At this time, some market segments have been excluded due to the technical complexity and/or network constraints which result in a high incidence of interactive POCs having to be managed. We will work with ICPs to develop processes to open these market segments in the future.

Relevant Market Segment	Self approval of designs available (Yes/No)	Comments
LV Demand	Yes*	Subject to restrictions
HV Demand	Yes*	Subject to restrictions
HV / EHV Demand	No	Currently due to technical nature, complexity of designs and significant impact on network.
EHV/132kV Demand	No	Currently due to technical nature, complexity of designs and significant impact on network.
DG LV	Yes*	Subject to restrictions
DG HV / EHV	No	Impacted by a high level of interactivity
UMS LA	Yes	
UMS Other	Yes	
UMS PFI	Yes	

\*Subject to the following restrictions:

- Where the requirement for reinforcement is identified
- There exists interactivity with other quotations

Please see our process document ESDD-02-021 Guidance for Self-Determination of Point of Connection and Self-Design Approval for Independent Connection Providers [L3](#).

The self-determined process in full can be seen on the high level process map [L3](#)

There is a probationary period to be able to complete the self-determination which is detailed in the above document and in the table of qualifying criteria below

#### Self Determine POC Qualifying Criteria

Level	Criteria
1	Complete a briefing with SPEN and enter into a probationary period for each RMS category - complete 5 projects in parallel (normal costs apply) and if no issues move to level 2
2	ICP fully able to self-determine POC

Please see our Standard Design Matrix which supports the guidance provided within ESDD-02-021.

## vii) Standard Design Matrix

[https://www.spenergynetworks.co.uk/pages/standard\\_design\\_matrix.aspx](https://www.spenergynetworks.co.uk/pages/standard_design_matrix.aspx)



### Getting Connected

Home > Getting Connected > Other Connection Provid... > Information for ICPs and I... > Code of Practice > Standard Design Matrix

Getting Connected	▼
Other Connection Providers (You Have a Choice)	▼
Who Can Do the Work?	
What Work Can be Done?	
Who Regulates Our Connection Business?	
Information for ICPs and IDNOs	▼
Extending the Scope of ICP Work	
Guidance & Information	▼
Code of Practice	▼
Transformer Loadings	
Self Determination of Point of Connection	
Standard Design Matrix	▶
Self Design Approval	
Authorisation and Accreditation	
Workshop Presentations	
Documents	▼
How to Contact CiC	▼
Generation	▼
Incentive on Connections Engagement (ICE)	▼
Document Library	▼
Contact Connections	▼

## STANDARD DESIGN MATRIX

### Standard Design Matrix

Some Point of Connection designs can be determined using a Standard Design Matrix, shown below. This Matrix is also detailed within the process document ESDD-02-021, along with some guidance, and can be found [here](#).

CRITERIA	MEASUREMENT	COMMENT
Connection capacity	<=500W (unmetered suppliers)	Need to consider the existing network can provide a suitable earth for the new connection 4mm Service cable should only be used where service cut-out is within 5mtrs of the LV mains cable with the exception of road crossing where up to 15m can be considered. Alternatively <=25m (35mm) Cable to be considered.
Distance to substation	<=500m	
Service cable length	<=5m (4mm) or <=25m (25mm)	
Transformer capacity	N/A	
Mains extensions	Cable of metric size <185mm <sup>2</sup>	
Asset types excluded	<ul style="list-style-type: none"> <li>Cable of imperial size less than 0.1 square inch copper.</li> <li>Cable of metric size &lt;95mm<sup>2</sup></li> <li>Concentric cables look for cables marked as 2 core with imperial sizes, TCLC (SPM TRCC), (triple concentric lead covered), marked as ex dc (direct current) cables.</li> <li>Three core LV cables - 2 phase and neutral.</li> <li>Cables indicated as operating (Bunched) - check the various layers available on UMV for PILC LV cables marked as 3 Some cables we are unable to join live.</li> <li>Belgium cables and Consac.</li> <li>Interconnectors with no existing connected customers.</li> </ul>	

CRITERIA	MEASUREMENT	COMMENT
Connection capacity	<=8kW (non domestic only)	Need to consider the existing network can provide a suitable earth for the new connection.
Distance to substation	<=250m	
Service cable length	<=25m	A Full Network modelling analysis is required if: <ul style="list-style-type: none"> <li>The Distance from the Substation exceeds 250mtrs</li> <li>Embedded generation enquiries above 16 Amps per phase (Generation subject to the requirements of ENA G98/multiple connections or ENA G99 (previously ENA G83/multiple connections or ENA G59).</li> </ul>
Transformer capacity	N/A	
Mains extensions	Cable of metric size <185mm <sup>2</sup>	
Asset types excluded	<ul style="list-style-type: none"> <li>Cable of imperial size less than 0.1 square inch copper.</li> <li>Cable of metric size &lt;95mm<sup>2</sup></li> <li>Concentric cables look for cables marked as 2 core with imperial sizes, TCLC (SPM TRCC), (triple concentric lead covered), marked as ex dc (direct current) cables.</li> <li>Three core LV cables - 2 phase and neutral.</li> <li>Cables indicated as operating (Bunched) - check the various layers available on UMV for PILC LV cables marked as 3 Some cables we are unable to join live:</li> <li>Belgium cables and Consac.</li> <li>Interconnectors with no existing connected customers.</li> </ul>	



CRITERIA	MEASUREMENT	COMMENT
Connection capacity	Up to 4 Domestic (<=2kW ADMD each)	Require a system check for all pole mounted transformers. Existing 5kVA pole mounted transformers will not provide sufficient capacity to cater for additional connections.
Distance to substation	<=250m	
Service cable length	<=25m	
Transformer capacity	N/A for ground mounted substation. System checks required for PTE (Pole Mounted Transformers)	Consideration to be undertaken to check that the volume of new connections does not exceed 75 customers on the feeder. Where this is the case alternative feed required as per ESDD-02-012.
Mains extensions	Cable of metric size <185mm <sup>2</sup>	Need to consider the existing network can provide a suitable earth for the new connection.
Asset types excluded	<ul style="list-style-type: none"> <li>Cable of imperial size less than 0.1 square inch copper.</li> <li>Cable of metric size &lt;95mm<sup>2</sup></li> <li>Concentric cables look for cables marked as 2 core with imperial sizes, TCLC (SPM TRCC), (triple concentric lead covered), marked as ex dc (direct current) cables.</li> <li>Three core LV cables - 2 phase and neutral.</li> <li>Cables indicated as operating (Bunched) - check the various layers available on UMV for PILC LV cables marked as 3 Some cables we are unable to join live:</li> <li>Belgium cables and Consac.</li> <li>Interconnectors with no existing connected customers.</li> </ul>	<p>A Full Network modelling analysis is required if:</p> <ul style="list-style-type: none"> <li>The Distance from the Substation exceeds 250m;</li> <li>If the proposed new load includes starting currents in excess of 15A;</li> <li>Embedded generation enquiries above 16 Amps per phase (Generation subject to the requirements of ENA G98/multiple connections or ENA G99 (previously ENA G83/multiple connections or ENA G59);</li> </ul>

CRITERIA	MEASUREMENT	COMMENT
Connection capacity	Single Connection <=69kW	Need a system check for all transformer types. Existing 5kVA pole mounted transformers will not provide sufficient capacity to cater for additional connections.
Distance to substation	<=200m	
Service cable length	<=10mtrs (No Study required), >10 <=25m (Study required)	
Transformer capacity	System checks required for PTE (Pole Mounted Transformers) and ground mounted substations	Consideration to be undertaken to check that the volume of new connections does not exceed 75 customers on the feeder. Where this is the case alternative feed required as per ESDD-02-012
Mains extensions	Cable of metric size <185mm <sup>2</sup>	Need to consider the existing network can provide a suitable earth for the new connection.
Asset types excluded	<ul style="list-style-type: none"> <li>Cable of imperial size less than 0.1 square inch copper.</li> <li>Cable of metric size &lt;95mm<sup>2</sup></li> <li>Concentric cables look for cables marked as 2 core with imperial sizes, TCLC (SPM TRCC), (triple concentric lead covered), marked as ex dc (direct current) cables.</li> <li>Three core LV cables - 2 phase and neutral.</li> <li>Cables indicated as operating (Bunched) - check the various layers available on UMV for PILC LV cables marked as 3 Some cables we are unable to join live:</li> <li>Belgium cables and Consac.</li> <li>Interconnectors with no existing connected customers.</li> </ul>	<p>A Full Network modelling analysis is required if:</p> <ul style="list-style-type: none"> <li>the maximum length of any Service Cable Exceeds 10m. Note no services to exceed 25m;</li> <li>there are 50 or more customers already on the LV feeder;</li> <li>the assessed loading is 50% or greater than the existing capacity of the circuit;</li> <li>the proposed new load includes starting currents in excess of 15 Amps;</li> <li>Embedded generation enquiries above 16 Amps per phase (Generation subject to the requirements of ENA G98/multiple connections or ENA G99 (previously ENA G83/multiple connections or ENA G59);</li> </ul>

## viii) Transformer Loadings

[https://www.spenergynetworks.co.uk/pages/transformer\\_loadings.aspx](https://www.spenergynetworks.co.uk/pages/transformer_loadings.aspx)



### Getting Connected

Home > Getting Connected > Other Connection Provid... > Information for ICPs and I... > Code of Practice > Transformer Loadings

Getting Connected	▼
Other Connection Providers (You Have a Choice)	▼
Who Can Do the Work?	
What Work Can be Done?	
Who Regulates Our Connection Business?	

#### TRANSFORMER LOADINGS

To facilitate the self-determination of POCs information of transformer loading is required which is detailed below. Document ESDD-02-021 details the process for self-determination (reference Section 11).

Please see below the Zip files for SPM and SPD and the associated instructions for use:

[Click here for instructions](#)

- [Transformer Loading 2020 South](#)
- [Transformer Loading 2018 North](#)

## ix) Documents

[https://www.spenergynetworks.co.uk/pages/competition\\_in\\_connections\\_documents.aspx](https://www.spenergynetworks.co.uk/pages/competition_in_connections_documents.aspx)



### Getting Connected

Home > Getting Connected > Other Connection Provid... > Information for ICPs and I... > Documents

Getting Connected	▼
Other Connection Providers (You Have a Choice)	▼
Who Can Do the Work?	
What Work Can be Done?	
Who Regulates Our Connection Business?	

#### DOCUMENTS

Within this section we provide a range of documentation.

- [Connection agreements](#)
- [Construction & adoption agreements](#)
- [Customer Leaflets](#)
- [Policies, Procedures and Specifications: Documentation](#)
- [Keeping you Informed \(our newsletters\)](#)



About Us

Home > About Us > Document Library > Policies, Procedures and ...

What We Do	▼
Stakeholders	▼
News and Media	▼
Document Library	▼
Regulatory Information	▼
Connections, Use of System and Metering Services	▼
Safety Documents	▼
Policies, Procedures and Specifications: Documentation	▶
Additional Information	▼
Company Reporting	▼

POLICIES, PROCEDURES AND SPECIFICATIONS: DOCUMENTATION

In this area of our website you will find our most regularly requested and downloaded policies, procedures and specifications. Please click on the x to list the documents. If the document you are looking for is not listed, please complete the Online Request Form

For specifications and standards related to the design of Projects / Tenders, please liaise in the first instance with the responsible SPEN Project Manager, Contract Manager or point of contact in Purchasing who will be able to provide the required documents.

We continually update this page by adding, replacing or removing documents. Please check back regularly to ensure you are using the most current version.

⚠ IMPORTANT: When you open the document, please press Ctrl F5 to refresh in case your device holds a cached version.

**POLICIES  
PROCEDURES  
&  
SPECIFICATIONS**

Should you be unable

**Online Request Form**


to locate the required document from the responsible SPEN Project Manager, Contract Manager or point of contact in Purchasing, or if the document you are looking for is not listed on this page, please complete the form.

Approved Equipment	+
Earthing	+
Overhead Lines	+
Policy & System Design	+
Substations	+
Underground Cables	+
Authorisation Procedure	+
Connection Process	+
Disconnections	+




## x) Self-Design Approval

[https://www.spenergynetworks.co.uk/pages/self\\_design\\_approval.aspx](https://www.spenergynetworks.co.uk/pages/self_design_approval.aspx)

English ScottishPower Iberdrola.com

ABOUT US | POWER CUTS | CUSTOMER SUPPORT | GETTING CONNECTED | INVESTMENT & INNOVATION | CORPORATE GOVERNANCE



## Getting Connected

Home > Getting Connected > Other Connection Providers (You Have a Choice) > Information for ICPs and IDNOs > Code of Practice > Self Design Approval

Getting Connected

Other Connection Providers (You Have a Choice)

Who Can Do the Work?

What Work Can be Done?

Who Regulates Our Connection Business?

Information for ICPs and IDNOs

Extending the Scope of ICP Work

Guidance & Information

Code of Practice

Transformer Loadings

Self Determination of Point of Connection

Standard Design Matrix

Self Design Approval

Authorisation and Accreditation

Workshop Presentations

Documents

How to Contact CIC

Generation

Incentive on Connections Engagement (ICE)

Document Library

Contact Connections

### SELF DESIGN APPROVAL

**Independent Connection Providers (ICPs) shall be able to complete self-design approval in the majority of circumstances, as outlined in the table below.**

At this time, some market segments have been excluded due to the technical complexity and/or network constraints. We will work with ICPs to develop processes to open these market segments in the future.

Relevant Market Segment	Self-approval of designs available (Yes/No)	Comments
LV demand	Yes*	Subject to restrictions
HV demand	Yes*	Subject to restrictions
HV/EHV demand	No	Currently due to technical nature, complexity of designs and significant impact on network.
EHV/132kV demand	No	Currently due to technical nature, complexity of designs and significant impact on network.
DG LV	Yes*	Subject to restrictions
DG HV/EHV	No	Currently due to technical nature, complexity of designs and significant impact on network.
UMS LA	Yes	
UMS Other	Yes	
UMS PFI	Yes	

**\* Subject to the following restrictions:**

- Where Contestable design requires incorporation of a constraint and monitoring scheme
- Diversion of Existing Assets (affecting existing Substation assets)

Please see our process document ESDD-02-021 Guidance for Self-Determination of Point of Connection and Self-Design Approval for Independent Connection Providers [L6](#). There is a probationary period to be able to complete the self-design approval which is detailed in the above document and in the table of qualifying criteria below.

The self-determined process in full can be seen on the high level process map. [L6](#)


#### Self-Design Approval Qualifying Criteria

Level	Criteria
1	Complete a briefing with SPEN and enter into a probationary period for each RMS category - complete 5 projects in parallel (normal costs apply) and if no issues move to level 2
2	ICP fully able to self-approve contestable designs




## xi) Requesting a Meter Point Administration Number

[https://www.spenergynetworks.co.uk/pages/mpan\\_request.aspx](https://www.spenergynetworks.co.uk/pages/mpan_request.aspx)



English | ScottishPower | Iberdrola.com

ABOUT US | POWER CUTS | CUSTOMER SUPPORT | GETTING CONNECTED | INVESTMENT & INNOVATION | CORPORATE GOVERNANCE



## Getting Connected

Who Can Do the Work?

What Work Can be Done?

Who Regulates Our Connection Business?

Information for ICPs and IDNOs

Extending the Scope of ICP Work

Guidance & Information

RADAR Training Materials

Tracking Your Project

Metered and Unmetered Connections Guides

Adopted Distributed Generation

Gaining Authorisation to our Network

Utility Map Viewer

Requesting a Meter Point Administration Number

Code of Practice

Documents

How to Contact CIC

### REQUESTING A METER POINT ADMINISTRATION NUMBER

The process for the provision and registering of MPANs for premises that will connect to Connection Works that the DNO will adopt is detailed in the process map below:

Before proceeding to the MPAN request form please ensure that you read the guidance document on the link below:

- Please click here to open the MPAN request form guidance [L3](#)

See Email Information +


The MPAN request document below provides you with the request form, guidance information, plus examples of completed application forms.

- Please click here to open the MPAN request form [L2](#)

Notification of all MPANs generated will be issued to the requestor once completed.

Please be advised that there is a phased approach for issue, e.g. if a builder requests one hundred MPANs for a new housing site these would be provided in phases, i.e. 20 MPANs to begin and once those houses are built a further 20, etc.

### MPAN PROCESS MAP



```
graph TD
    subgraph "MPAN CREATION FOR EXTERNAL CONNECTION BUSINESSES"
        direction TB
        E1[1. EXTERNAL CONNECTION BUSINESSES]
        E2[2. DATA MANAGEMENT]
    end

    subgraph "Process Flow"
        direction LR
        P1[1. SEND MPAN REQUEST] -- "EMAIL, PFC-FORMA" --> P2[2. Receive MPAN request]
        P1 -- "NO" --> P3[Receive request for additional information]
        P3 -- "NO" --> P2
        P3 -- "YES" --> P4[Receive request for additional information is sufficient]
        P2 -- "Has all mandatory information been supplied?" --> P5[Input data from premises]
        P5 -- "NO" --> P3
        P5 -- "YES" --> P6[Does duplicate entry exist?]
        P6 -- "NO" --> P7[Generate MPANs and Property ID]
        P6 -- "YES" --> P3
        P7 --> P8[Confirm MPAN generated with engineer]
        P8 --> P9[MPAN GENERATION]
        P4 --> P8
    end
```

## xii) Authorisation and Accreditation

[https://www.spenergynetworks.co.uk/pages/authorisation\\_and\\_accreditation.aspx](https://www.spenergynetworks.co.uk/pages/authorisation_and_accreditation.aspx)


ABOUT US | POWER CUTS | CUSTOMER SUPPORT | **GETTING CONNECTED** | CORPORATE GOVERNANCE | INVESTMENT & INNOVATION



## Getting Connected

Home > Getting Connected > Other Connection Providers > Information for ICP's and L... > Code of Practice > Authorisation and Accredi...

- Getting Connected
- Other Connection Providers (You Have a Choice)
- Who Can Do the Work?
- What Work Can be Done?
- Who Regulates Our Connection Business?
- Information for ICPs and IDNOs
- Extending the Scope of ICP Work
- Guidance & Information
- Code of Practice
- Transformer Loadings
- Self Determination of Point of Connection
- Standard Design Matrix
- Self Design Approval
- Authorisation and Accreditation
- Workshop Presentations
- Documents
- How to Contact CIC
- Generation
- Incentive on Connections Engagement (ICE)
- Document Library
- Contact Connections

### AUTHORISATION AND ACCREDITATION

#### Accreditations

- Accreditation means accreditation awarded to an ICP under the National Electricity Registration Scheme (NERS).
- ICPs accredited under NERS to undertake specific contestable activities shall be deemed to be competent to undertake such activity normally.
- In all cases where NERS accreditation is not available SPEN will work with the scheme administrator to implement a scope change to cover the relevant activity consistent with the Relevant Objectives which are detailed within Section 2.3 of the Code of Practice which can be found [here](#).

#### Authorisations

SPEN accept that ICPs administer and control their own Safety Management systems (SMS) and to enable more flexibility and control within the ICP, SPEN allows all ICPs to work under their own safety rules. The details of which can be found within document CON-04-002 Process for LV and HV connections activities under SPEN and ICP's DSRs, which is available on our website [here](#).

Under the changes that have been implemented for the Code of Practice SP Energy Networks (SPEN) is committing to the 3 options that are available and would ask any ICP that is interested to contact us directly and we will work together to enable their access to their preferred option.

Please see our guide to gaining Authorisation to SPEN [here](#).

The 3 options are detailed below:

#### Option 1 - ICP authorisation of ICP Employees and Contractors

- ICPs shall operate under their own SMS, including the ICP's Safety Rules, which shall be of an equivalent relevant standard to SPEN's (in all cases the SMS should align to OHSAS18001 or equivalent).
- ICPs are responsible for determining the relevant competence requirements for the work to be undertaken and for the issue of an appropriate authorisation to their employees or contractors. The relevant competence requirements shall include any network specific issues identified by the ICP following consultation and communication with SPEN.
- ICPs shall provide, if requested, details of their SMS to SPEN before first accessing SPEN's Distribution System.
- ICPs shall thereafter provide, when required, reasonable information regarding their ongoing SMS to SPEN.
- SPEN will be entitled to carry out reasonable checks on the application of the relevant SMS to demonstrate so far as reasonably practicable to the Health and Safety Executive (or other interested parties) that safety assurance is in place for any ICP working on its Distribution System.
- Either party shall make available to the other relevant policies, operational processes, local information and procedures as required to facilitate safe working on SPEN's Distribution System. This may be in writing or by personal briefing as may be appropriate, but in all cases the information exchanged shall be recorded and such records must be held for future reference by each party.

#### Option 2 - DNO authorisation of ICP Employees


- ICPs shall operate under SPEN's SMS, including SPEN's version of the Model Distribution Safety Rules.
- SPEN will determine the relevant competence requirements and issue authorisations to the ICP's employees or contractors.
- SPEN will be entitled to undertake appropriate checks to demonstrate, so far as is reasonably practicable, that the ICP's employee or contractor has an appreciation of network hazards and local procedures.
- SPEN shall take account of authorisations issued by other DNOs in order to minimise circumstances where repeat authorisation assessments are required for work on different DNOs' Distribution Systems.
- The charges to get authorised must be cost-reflective and opportunities to be authorised must be available on a sufficiently frequent basis.
- Each party shall make available to the other the relevant policies, operational processes, local information and procedures as required to facilitate safe working on SPEN's Distribution System. This may be in writing or by personal briefing as may be appropriate, but in all cases the information exchanged shall be recorded and such records must be held for future reference by each party.



#### Option 3 - Transfer of Control

- SPEN shall transfer control of a specified part of its Distribution System for the purposes of the ICP's activity.
- The ICP shall have full control of the specified part of SPEN's Distribution System and shall carry out the work in accordance with its own SMS, including its Safety Rules.
- Each party shall make available to the other the relevant policies, operational processes, local information and procedures as required to facilitate safe working on SPEN's Distribution System. This may be in writing or by personal briefing as may be appropriate, but in all cases the information exchanged shall be recorded and such records must be held for future reference by each party.

xiii) Land Rights & Consents


[https://www.spenergynetworks.co.uk/pages/land\\_rights\\_consents.aspx](https://www.spenergynetworks.co.uk/pages/land_rights_consents.aspx)



English  

Sustainability | ScottishPower | Iberdrola.com

ABOUT US | POWER CUTS | CUSTOMER SUPPORT | GETTING CONNECTED | CORPORATE GOVERNANCE | INVESTMENT & INNOVATION



Customer Support

Home > Customer Support > Land Rights & Consents

Help & Advice

General Enquiries

A Caring Network

Online Forms

Land Rights & Consents

Land Rights


Land Rights for Connections Customers

Land Enquiry Form

Community Energy

## LAND RIGHTS & CONSENTS


In order to install, maintain and operate overhead lines, underground cables and substations, we require the use of land occupied by many individuals (known as Grantors).



The right of access to the land is granted through a Land Right which can be a personal agreement between ourselves and the Grantor (wayleave) or a permanent right to the land (servitude/easement).

If you are already a Grantor or you want to know more about Land Rights and Consents please contact us via our Land Enquiry Form or by using the links below.


### Land Rights



Find out how right of access to the land is granted.

FIND OUT MORE


### Land Rights for Connections Customers



To get you connected to our network, we often need to secure appropriate land rights.

FIND OUT MORE


### Land Enquiry Form



Our quick and easy-to-use online enquiry form.

FIND OUT MORE


### Works on Your Land



Our agreement with you is underpinned by our commitment to working with you with courtesy and consideration.

VIEW PDF / WELSH VERSION


### Land Code of Conduct



Our agreement with you is underpinned by our commitment to working with you with courtesy and consideration.

VIEW PDF / WELSH VERSION

### Fee Scale



Our rate of payment to you for apparatus on your land (ENA).

VIEW PDF





## Customer Support

Home > Customer Support > Land Rights & Consents > Land Rights for Connections Customers

Help & Advice	▼
General Enquiries	▼
A Caring Network	▼
Online Forms	▼
Land Rights & Consents	▼
Land Rights	
Land Rights for Connections Customers	▶
Land Enquiry Form	
Community Energy	▼

### LAND RIGHTS FOR CONNECTIONS CUSTOMERS

To get you connected to our network, we often need to secure appropriate land rights in order to locate our equipment or cables on your land or a third parties land.

Our stakeholder feedback of the Land Rights process is improving and we are continuing to implement initiatives to enhance the customer experience, please take a look at our latest stakeholder update!



- Land Rights Stakeholder Update June 2019 [↗](#)

The term land rights is used as a collective term to cover the acquisition of property rights, such as freehold and leasehold interests, a lease or purchase or servitudes, easements or wayleaves, that SP Energy Networks will require to be in place before we can make a connection for you to our network. In order to ensure the works are undertaken in a lawful manner we may also require 'statutory planning' consents such as a section 37 consent to install an overhead line or a planning consent to construct a substation. Other environmental consents, licences or permits may also be required for work in or around certain sensitive ecological habitats or species, water bodies or cultural heritage sites, some of which may have significant statutory protection.

We would ask you to take the following key factors into consideration when planning your project:

- We require the consent of the land owner prior to beginning any works
- The timescales associated with obtaining third party agreement may affect your project's delivery
- We do not seek such consents until you have accepted our quotation
- The price on our quotation is given subject to all consents being agreed
- Where consents are refused a new design and quotation will be required
- We cannot undertake any works on third party land until all consents have been agreed

More information is available in our Land Rights for Connections Customers guidance document which contains information on our process and requirements.

- Land Rights for Connection Customers [↗](#)

To further assist, we have provided the associated lease and servitude templates which may be required as part of your connection. See the links to these below:

- Windfarm Lease [↗](#)
- Substation Lease (Whole Substation Building) [↗](#)
- Substation Lease (Internal Parts Only) [↗](#)
- Standard Servitude (Overhead and Underground) [↗](#)
- Standard Deed of Grant (easement) (Underground and Overhead) [↗](#)
- Windfarm Servitude [↗](#)

#### Incorporated Rights (SP Manweb)

Where an IDNO is installing a new electricity connection, they will retain ownership of the network and therefore have their own land rights with the landowner. In order to better facilitate the land rights required for the IDNO's network to connect into SP Manweb's network, we can incorporate SPM's rights required into the agreement between the IDNO and the landowner. This allows the IDNO to secure SPM's land rights directly with the landowner. Please see our Incorporated Rights customer process map for more detail and contact [wayleavessouth@spenergynetworks.co.uk](mailto:wayleavessouth@spenergynetworks.co.uk) for enquiries.







## Customer Support

Home > Customer Support > Land Rights & Consents > Land Rights

Help & Advice	▼
General Enquiries	▼
A Caring Network	▼
Online Forms	▼
Land Rights & Consents	▼
Land Rights	▶
Land Rights for Connections Customers	
Land Enquiry Form	
Community Energy	▼

### LAND RIGHTS

The right of access to the land is granted through a Land Right which can be a personal agreement between ourselves and the Grantor (wayleave) or a permanent right to the land (servitude/easement).



The different types of Land Right obtained by SP Energy Networks are:

LAND RIGHTS FOR OVERHEAD LINES AND UNDERGROUND CABLE	
WAYLEAVE AGREEMENT	<ul style="list-style-type: none"><li>A Personal Agreement between SPD/SPM and the individual/company granting the right.</li><li>Used to gain consent for Overhead Line and Underground Cable Apparatus.</li><li>An annual payment or one off payment is usually paid to the grantor as long as they are not the sole beneficiary of the apparatus.</li><li>Payment Rate is reviewed annually.</li><li>Wayleaves are not registered against the land therefore if the land is subsequently sold the right will not automatically transfer to the new owner.</li></ul>
SERVITUDE/EASEMENT	<ul style="list-style-type: none"><li>Provides greater security than a Wayleave Agreement.</li><li>Executed as a Deed therefore it is registered against the property on HM Land Registry and is permanently affixed to the land.</li><li>A Servitude/Easement forms a contract between SPD/SPM and the landowner and will include a right of access for inspection, maintenance and future operations.</li><li>Servitude/Easements are processed through solicitors and this reflects the greater security of tenure afforded to us and also the timescales involved.</li></ul>
FREEHOLD TRANSFER (SALE)	<ul style="list-style-type: none"><li>SPD/SPM would prefer a freehold interest in the land where a Sub-Station is to be built for a major project, for example a Housing Development.</li><li>The land would then be owned by SPD/SPM and the Title would be registered at HM Land Registry.</li><li>The transfer would also include associated rights of access and appropriate for underground cables etc.</li></ul>

<b>LEASE</b>	<ul style="list-style-type: none"> <li>SPD/SPM would be prepared to enter into a lease for a Sub-Station site for commercial/industrial developments.</li> <li>The landowner would grant us the right to occupy their land/building over a mutually agreed time period.</li> <li>The lease will include rights for access to the sub-station 24/7, together with the rights for underground cable and associated apparatus.</li> </ul>
--------------	--

#### What if a voluntary agreement cannot be reached?

In some cases a voluntary agreement will not be reached and we may require to rely on our statutory powers to compulsorily secure the relevant land rights. In such circumstances where agreement cannot be reached and no alternative design solution exists. Prior to entering into the use of statutory powers, the circumstances and how to proceed should be reviewed by the SPEN Project Manager, Land Offer and the customer. The costs relating to the use of statutory powers will be in addition to your connection costs.

<b>COMPULSORY PURCHASE</b>	<p>We can acquire ownership of, rights in, and rights to, land by way of the compulsory acquisition process set down under schedule 3 of the Electricity Act 1989 (as amended).</p> <p>A "start to finish" compulsory acquisition can take between 9 months to 3 years. As such, the process is only effective in projects where there are sufficiently defined timescales. Furthermore, a compulsory purchase order can only be proposed where there is a sufficient "needs case" justification for doing so.</p>
<b>NECESSARY WAYLEAVE</b>	<p>We can acquire a necessary wayleave for overhead line and cable apparatus under Schedule 4 of the Electricity Act. A necessary wayleave offers more protection than a voluntary wayleave in that it binds the land covered by the necessary wayleave for a stated term and does not fall as a result of a change of owner. The process can take between 6-12 months.</p>

#### Other types of consents

As well as land rights, other consents may be required as part of your connection. These may relate to:

- Statutory planning consents for the construction of an overhead line or substation.
- Other environmental consents, licences or permits which may be required for:
- Work in or around water bodies;
- Work in or around certain sensitive ecological habitats or species, some of which may have significant statutory protection.
- Work in or around buildings and sites of historic importance
- In cases where such 'sensitive sites' are encountered these may trigger the need for particular environmental evaluation or the need for full Environmental Impact Assessment (EIA).

The requirement for such consents is obviously dependent on the development type and its location and as such requires to be considered on a case by case basis. Different types of consents will have different programme implications.

These consents will require various levels of engagement with statutory authorities and interested parties.

<b>SECTION 37 CONSENT</b>	<p>The Electricity Act contains certain provisions for planning relating to the construction or alteration of overhead lines. Consent relating to 33kV overhead lines and below are required under section 37 of the Act.</p> <p>Section 37 consent is granted by the Scottish Ministers in Scotland and the Secretary of State in England and Wales. Whilst applications are made to The Scottish Government / DECC, these consents requires consultation with the relevant local authorities and other statutory bodies. The Secretary of State Scottish Ministers may take in to account the number of land rights that have been granted prior to the granting of the section 37 consent.</p> <p>The Land Officer appointed to your connection will keep you fully informed as to any consent that may be required to construct the connection.</p>
<b>PLANNING CONSENT BY A CUSTOMER</b>	<p>If a substation is required as part of the customer's connection arrangements, typically for development such as housing or commercial, we expect you to obtain planning permission for the new substation. Before a lease or transfer for a new substation site can be concluded, you must provide evidence to our solicitor that planning permission has been obtained for the new substation.</p>



Our Land Rights and Works on Your Land documents can be viewed by selecting the links below.


- [Land Code of Conduct](#)
- [Land Code of Conduct \(Welsh\)](#)
- [Works on Your Land](#)
- [Works on Your Land \(Welsh\)](#)

If you are already a Grantor or you want to know more about Land Rights and Consents please contact us via our [Land Enquiry Form](#) or by using the contact details below:

CENTRAL & SOUTHERN SCOTLAND	CHESHIRE, MERSEYSIDE, N. WALES & N.SHROPSHIRE
Telephone: 0845 301 0014	Telephone: 0845 030 3053
CONTACT US VIA EMAIL:	
<a href="#">Wayleaves North</a>	<a href="#">Wayleaves South</a>
WRITE TO US:	
Wayleaves SP Energy Networks 55 Fullerton Drive Cambuslang Glasgow G32 8FA	Wayleaves SP Energy Networks Wrexham Road Pentre Bychan Wrexham LL14 4DU



[https://www.spenergynetworks.co.uk/pages/customer\\_process\\_new\\_connection.aspx](https://www.spenergynetworks.co.uk/pages/customer_process_new_connection.aspx)



English ScottishPower | ibardola.com

ABOUT US | POWER CUTS | CUSTOMER SUPPORT | GETTING CONNECTED | INVESTMENT & INNOVATION | CORPORATE GOVERNANCE




Getting Connected

Home > Getting Connected > Getting Connected > Customer Process > Customer Process: New ...


CUSTOMER PROCESS: NEW CONNECTION

This page features animated content. View a text only version of the New Connection Process.

Stage 1/8: Make Your Enquiry




You make an enquiry about a new connection via **telephone**, **email** or **online form**.




Read our **Getting Connected to the Electricity Network Leaflet**


Not sure what connection type you require? We can guide you through the process.




Find out more about SP Energy Networks Connections with our selection of information e-leaflets and videos.



Do you need to move your electricity meter? Find out how SP Energy Networks can help you.



We are here to support you. Click here to find out how to contact us.



#### xiv) Connection Agreements

[https://www.spenergynetworks.co.uk/pages/connection\\_agreements.aspx](https://www.spenergynetworks.co.uk/pages/connection_agreements.aspx)



English ScottishPower Iberdrola.com

[ABOUT US](#) | [POWER CUTS](#) | [CUSTOMER SUPPORT](#) | [GETTING CONNECTED](#) | [INVESTMENT & INNOVATION](#) | [CORPORATE GOVERNANCE](#)



## Getting Connected

[Home](#) > [Getting Connected](#) > [Other Connection Providers...](#) > [Information for ICPs and IDNOs](#) > [Documents](#) > [Connection Agreements](#)

Getting Connected	▼
Other Connection Providers (You Have a Choice)	▼
Who Can Do the Work?	
What Work Can be Done?	
Who Regulates Our Connection Business?	
Information for ICPs and IDNOs	▼
Extending the Scope of ICP Work	
Guidance & Information	▼
Code of Practice	▼
Documents	▼
Connection Agreements	▶
Construction & Adoption	
Keeping You Informed	
Customer Leaflets	
Policies, Procedures and Specifications: Documentation	
How to Contact CIC	▼
Generation	▼
Incentive on Connections Engagement (ICE)	▼
Document Library	▼
Contact Connections	▼

### CONNECTION AGREEMENTS

Prior to the completion/energisation of a new connection :

- The appropriate Bespoke/Bilateral Connection Agreement **MUST BE COMPLETED** and **SIGNED** by both parties
- Any works required to reinforce an existing connection or SPD/SPM agreeing to modify existing connection terms i.e. increasing/reducing a customer's maximum capacity, the appropriate Bespoke/Bilateral Connection Agreement **MUST BE MODIFIED** and that Modification **SIGNED** by both parties

Under no circumstance should a new or reinforced connection be energised or modified connection terms agreed without there being a signed and up-to-date Bespoke/Bilateral Connection Agreement in place.

A **BESPOKE CONNECTION AGREEMENT** is required for any connection metered at HV or above, or any site that has generation installed.

Each IDNO connection will require an appropriate **Bilateral Connection Agreement** to be put in place.

Please find below a list of the connection templates and the link for each for SPD and SPM.

Connection Agreement Template	Link	
	SPM	SPD
Bespoke Connection Agreement Template - LV Generation(G59)	<a href="#">COM-20-010</a>	<a href="#">COM-20-001</a>
Bespoke Connection Agreement Template - 11kV and above. No Generation	<a href="#">COM-20-011</a>	<a href="#">COM-20-002</a>
Bespoke Connection Agreement Template - 11kV and above. Generation No Export	<a href="#">COM-20-012</a>	<a href="#">COM-20-003</a>
Bespoke Connection Agreement Template - 11kV and above. Generation Export	<a href="#">COM-20-013</a>	<a href="#">COM-20-004</a>
Bilateral Connection Agreement Template - LV Standard (230V/400V)	<a href="#">COM-20-014</a>	<a href="#">COM-20-005</a>
Bilateral Connection Agreement Template - HV Standard (11kV) SPD	<a href="#">COM-20-015</a>	<a href="#">COM-20-006</a>
Bilateral Connection Agreement Template - HV Close Coupled (11kV)	<a href="#">COM-20-016</a>	<a href="#">COM-20-007</a>
Bilateral Connection Agreement Template - LV Link Box (230V/400V)	<a href="#">COM-20-017</a>	<a href="#">COM-20-008</a>
Bilateral Connection Agreement Template - LV NO Link Box (230V/400V)	<a href="#">COM-20-020</a>	<a href="#">COM-20-019</a>
Bilateral Connection Agreement Template - EHV (33kV)	<a href="#">COM-20-018</a>	<a href="#">COM-20-009</a>

To provide you with some assistance in the completion of these forms please click [here](#) for an example of a completed Bilateral Connection Agreement (COM-20-015).

## xv) Construction and Adoption Agreements

[https://www.spenergynetworks.co.uk/pages/construction\\_adoption\\_agreements.aspx](https://www.spenergynetworks.co.uk/pages/construction_adoption_agreements.aspx)



## Getting Connected

[Home](#) > [Getting Connected](#) > [Other Connection Providers](#) > [Information for ICPs and IDNOs](#) > [Documents](#) > [Construction & Adoption](#)

Who Can Do the Work?
What Work Can be Done?
Who Regulates Our Connection Business?
Information for ICPs and IDNOs
Extending the Scope of ICP Work
Guidance & Information
Code of Practice
Documents
Connection Agreements
Construction & Adoption
Keeping You Informed
Customer Leaflets
Policies, Procedures and Specifications: Documentation
How to Contact CIC

### CONSTRUCTION & ADOPTION

#### New & Modified Connections

If you have appointed an accredited Independent Connection Provider (ICP) to undertake some or all contestable works, they are required to work in accordance with the terms and conditions of our Construction and Adoption Agreement.

The Construction and Adoption Agreement can either be bilateral between you and us or us and your appointed ICP, or on a tripartite. It sets out the terms and conditions under which we will agree to adopt the assets installed. Once adopted, they will become part of our network following satisfactory inspection and testing.

#### Agreements

- [SP Distribution \(SPD\) Bilateral Adoption Agreement](#)
- [SP Distribution \(SPD\) Tripartite Adoption Agreement](#)
- [SP Manweb \(SPM\) Bilateral Adoption Agreement](#)
- [SP Manweb \(SPM\) Tripartite Adoption Agreement](#)

Framework agreements are also available for those organisations who complete a significant volume of projects within our network area. This provides the option of initially signing an over-arching agreement and then only completing a site specific schedule for each project.

If you are interested in this option please contact the relevant Account Manager who will be able to assist, details of which can be found [here](#).

#### Terms & Conditions

- [SPD - General Bilateral Terms & Conditions for Adoption of Contestable Works](#)
- [SPD - General Tripartite Terms & Conditions for Adoption of Contestable Works](#)
- [SPM - General Bilateral Terms & Conditions for Adoption of Contestable Works](#)
- [SPM - General Tripartite Terms & Conditions for Adoption of Contestable Works](#)

#### Street Lighting & Street Furniture

For any assets installed in relation to street furniture or street lighting, you — or in the case of street lighting — a street lighting authority, can appoint an accredited ICP to undertake the work.

The appointed ICP will be required to carry out the works in accordance with the terms and conditions of our Construction & Adoption Agreement. The agreement will be between you, us and your appointed ICP.

The terms upon which we will adopt the new assets are set out within the agreement and, once the assets have been adopted, will be operated and maintained by us.

#### Agreements

- [SP Distribution - Street Lighting & Street Furniture C&AA](#)
- [SP Manweb - Street Lighting & Street Furniture C&AA](#)


#### Terms & Conditions

- [SP Distribution General Conditions for Street Furniture](#)
- [SP Manweb General Conditions for Street Furniture](#)




xvi) Escalation Process

[https://www.spenergynetworks.co.uk/pages/escalation\\_process.aspx](https://www.spenergynetworks.co.uk/pages/escalation_process.aspx)



English | ScottishPower | Iberdrola.com

ABOUT US | POWER CUTS | CUSTOMER SUPPORT | GETTING CONNECTED | INVESTMENT & INNOVATION | CORPORATE GOVERNANCE



## Getting Connected

Home > Getting Connected > Other Connection Providers... > How to Contact CIC > Escalation Process

Getting Connected

Other Connection Providers (You Have a Choice)

Who Can Do the Work?

What Work Can be Done?

Who Regulates Our Connection Business?

Information for ICPs and IDNOs

How to Contact CIC

Escalation Process

Generation

Incentive on Connections Engagement (ICE)

Document Library

Contact Connections

### ESCALATION PROCESS

We are committed to providing you with excellent customer service, first time every time. However, if you have any concerns or issues then please follow the process outlined below.

PROJECT RELATED ISSUES

DESIGN / DELIVERY ENGINEER

\*\* HEAD OF DESIGN / DELIVERY

GENERIC / POLICY ISSUES

STAKEHOLDER TEAM  
(SPD - ELAINE FORSYTHE  
SPM - LOUISE TAYLOR)


STAKEHOLDER MANAGER  
(SPD - JOHAN GILLESPIE  
SPM - RACHEL SHORNEY)

\*\* Please use our contacts page to find the specific details of the manager for each district.


Please note if you have followed the process above and are not happy with the resolution and want to make a complaint, then you should follow our complaints procedure.

Appendix 2 – UMV and Transformer Loading Database screenshots

i) UMV/GND/Power On Portal Screen




ii) UMV Mini Scale








iii) UMV Landranger



iv) UMV Master Map



v) Transformer Loading Database Portal screen





vi) Transformer Loading Database example screen

Substation Name					Functional Location			Tx Rating
WITTON					GSS-SJ6674/005			500
Date	Red (A)	Yell (A)	Blue (A)	Total (A)	Total kVA	Total kW	kVAr	% Loading
01/03/2017	800	700	600	2100	483	459	150	97
05/04/2016	800	650	650	2100	483	459	150	97
21/05/2015	800	550	650	2000	460	437	144	92
19/06/2014	750	600	700	2050	472	448	149	94
21/02/2013	800	550	700	2050	472	448	149	94
20/03/2012	800	600	700	2100	483	459	150	97
28/02/2011	800	740	740	2280	524	498	163	105
17/06/2010	800	700	700	2200	506	481	157	101
11/12/2009	700	600	600	1900	437	415	137	87
30/07/2008	780	620	580	1980	455	432	143	91
20/02/2008	800	660	700	2160	497	472	156	99
15/02/2007	700	600	800	2100	483	459	150	97
07/10/2005	760	620	780	2160	497	472	156	99